



















































































\$MSG\$ 03/07/2011 11:50:19 OBTAIN  
(TYPE=**REJ**), NO FILES QUEUED

\$BCBSF\$ OBTAIN **EDI** \$BCBSF\$

**put EDlobtain.fil**

☒ **OBTAIN** command for EDI Professional 1500 Claims file  
(identified by **datatype** of **EDI**).

**get claimsack.fil**

☒ trading partner receives either the **oldest claims acknowledgment** queued in the mailbox at the time the **OBTAIN** command was sent, **or a message file** indicating there were no files queued (identified by **datatype** of **EDI**).

EDI Claims Acknowledgment File

**or**

\$MSG\$ 03/07/2011 11:47:19 OBTAIN  
(TYPE=**EDI**), NO FILES QUEUED

\$BCBSF\$ LOGOFF \$BCBSF\$

**put LOGOFF.fil**

☒ **LOGOFF** command indicates the trading partner's session is ended; **DO NOT DISCONNECT! RECEIVE** the **Session Messages**. Then, disconnect.

**get SessionMsg.fil**

☒ trading partner's system should **RECEIVE** the Session Messages.

Session Messages

**quit**

☒ terminates the FTP session. If this command is not issued from the remote side it will be issued by the EDI server.

Ends the FTP session

May perform other TCP/IP activities as needed.

...

☒ other TCP/IP (with RFC 959) oriented activities, such as batch FTP sessions, may be executed.

Terminate the Remote Access connection.

Disconnect.