

**Non-invasive US-Extracranial and Upper and Lower Extremities Working Bibliography**

1. AbuRahma AF, Avgerinos ED, Chang RW, et al. Society for Vascular Surgery clinical practice guidelines for management of extracranial cerebrovascular disease. *J Vasc Surg.* Jan 2022;75(1S):4S-22S. doi:10.1016/j.jvs.2021.04.073.
2. ACR-AIUM-SPR-SRU. Practice Parameter for the Performance of an Ultrasound Examination of the Extracranial Cerebrovascular System. *J Ultrasound Med.* 2021;35(9):1-11.
3. ACR – SPR –SRU. Practice Parameter for the Performance and Interpretation of Diagnostic Ultrasound Examinations. 2023.
4. Aubert CE, Cluzel P, Kemel S, et al. Influence of peripheral vascular calcification on efficiency of screening tests for peripheral arterial occlusive disease in diabetes—a cross-sectional study. *Diabetic Medicine.* 2014;31(2):192-199. doi:<https://doi.org/10.1111/dme.12309>.
5. Azzopardi YM, Gatt A, Chockalingam N, et al. Agreement of clinical tests for the diagnosis of peripheral arterial disease. *Prim Care Diabetes.* 2019;13:82e6.
6. Babaei MR, Malek M, Rostami FT, Emami Z, Madani NH, Khamseh ME. Non-invasive vascular assessment in people with type 2 diabetes: Diagnostic performance of Plethysmographic-and-Doppler derived ankle brachial index, toe brachial index, and pulse volume wave analysis for detection of peripheral arterial disease. *Primary Care Diabetes.* 2020;14(3):282-289. doi:10.1016/j.pcd.2019.09.005
7. Barvalia M, Silber D, DiVita M, Joshi A, Wasty N, Cohen M. Utility of carotid duplex ultrasonography in a general inner-city hospital. *Cardiovasc Ultrasound.* Nov 25 2014;12:48. doi:10.1186/1476-7120-12-48.
8. Berens ES, Kouchoukos NT, Murphy SF, Wareing TH. Preoperative carotid artery screening in elderly patients undergoing cardiac surgery. *J Vasc Surg.* Feb 1992;15(2):313-21; discussion 322-3.
9. Bishara RA, Taha W, AlFarouk MO, Milik IA, Wilson N. Screening for Significant Carotid Artery Disease among a Cohort of 1,000 Egyptian Patients. *Vascular.* 2008;16(1):35-40. doi:10.2310/6670.2008.00008.
10. Browne WF, Sung J, Majdalany BS, et al. ACR Appropriateness Criteria® Sudden Onset of Cold, Painful Leg: 2023 Update. *J Am Coll Radiol.* Nov 2023;20(11s):S565-s573. doi:10.1016/j.jacr.2023.08.012.
11. Carmody BJ, Arora S, Avena R, et al. Accelerated carotid artery disease after high-dose head and neck radiotherapy: is there a role for routine carotid duplex surveillance? *J Vasc Surg.* Dec 1999;30(6):1045-51. doi:10.1016/s0741-5214(99)70042-x.
12. Chen SP, Hu YP. Waveform patterns and peak reversed velocity in vertebral arteries predict severe subclavian artery stenosis and occlusion. *Ultrasound Med Biol.* May 2015;41(5):1328-33. doi:10.1016/j.ultrasmedbio.2014.12.019.

13. Chen J, He H, Starcke CC, et al. Accuracy of Ankle-Brachial Index, Toe-Brachial Index, and Risk Classification Score in Discriminating Peripheral Artery Disease in Patients With Chronic Kidney Disease. *Am J Cardiol.* Dec 1 2021;160:117-123.  
doi:10.1016/j.amjcard.2021.08.046.
14. Chi HY, Hsu CF, Chen AC, Su CH, Hu HH, Fu WM. Extracranial and Intracranial-Ultrasonographic Findings in Posterior Circulation Infarction *J Ultrasound Med.* Jul 2018;37(7):1605-1610. doi 10.1002/jum.14501.
15. Chun LJ, Tsai J, Tam M, Prema J, Chen LH, Patel KK. Screening Carotid Artery Duplex in Patients Undergoing Cardiac Surgery. *Annals of Vascular Surgery.* 2014;28(5):1178-1185.  
doi:10.1016/j.avsg.2013.07.025.
16. Chuter VH, Searle A, Barwick A, et al. Estimating the diagnostic accuracy of the ankle-brachial pressure index for detecting peripheral arterial disease in people with diabetes: A systematic review and meta-analysis. *Diabet Med.* Feb 2021;38(2):e14379.  
doi:10.1111/dme.14379.
17. Conte MS, Pomposelli FB, Clair DG, et al. Society for Vascular Surgery practice guidelines for atherosclerotic occlusive disease of the lower extremities: management of asymptomatic disease and claudication. *J Vasc Surg.* Mar 2015;61(3 Suppl):2S-41S.  
doi:10.1016/j.jvs.2014.12.009.
18. Conte MS, Bradbury AW, Kohl P, et al. Global vascular guidelines on the management of chronic limb-threatening ischemia. *J Vasc Surg.* Jun 2019;69(6S):3S-125S e40.  
doi:10.1016/j.jvs.2019.02.016.
19. Cornily J-C, Le Saux D, Vinsonneau U, et al. Assessment of carotid artery stenosis before coronary artery bypass surgery. Is it always necessary? *Archives of Cardiovascular Diseases.* 2011/02/01/ 2011;104(2):77-83.  
doi:<https://doi.org/10.1016/j.acvd.2010.11.008>.
20. Corvino A, Catalano O, de Magistris G, et al. Usefulness of doppler techniques in the diagnosis of peripheral iatrogenic pseudoaneurysms secondary to minimally invasive interventional and surgical procedures: imaging findings and diagnostic performance study. *J Ultrasound.* Dec 2020;23(4):563-573. doi:10.1007/s40477-020-00475-6.
21. Crawford JD, Perrone KH, Jung E, Mitchell EL, Landry GJ, Moneta GL. Arterial duplex for diagnosis of peripheral arterial emboli. *J Vasc Surg.* Nov 2016;64(5):1351-1356.  
doi:10.1016/j.jvs.2016.04.005.
22. D'Agostino RS, Svensson LG, Neumann DJ, Balkhy HH, Williamson WA, Shahian DM. Screening Carotid Ultrasonography and Risk Factors for Stroke in Coronary Artery Surgery Patients. *The Annals of Thoracic Surgery.* 1996;62(6):1714-1723.  
doi:10.1016/S0003-4975(96)00885-5.
23. de Athayde Soares R, Câmara Costa Ferreira ZM, Viana Portela MV, et al. A Comparative Analysis and Results of Carotid Interventions Based on Duplex Ultrasound as a Single Exam Versus Multiple Diagnose Exams. *Ann Vasc Surg.* Jul 2024;104:10-17.  
doi:10.1016/j.avsg.2023.06.022.

24. Farber A, Angle N, Avgerinos E, et al. The Society for Vascular Surgery clinical practice guidelines on popliteal artery aneurysms. *J Vasc Surg.* Jan 2022;75(1S):109S-120S. doi:10.1016/j.jvs.2021.04.040.
25. Felbaum DR, Maxwell C, Naydin S, et al. Carotid Stenosis: Utility of Diagnostic Angiography. *World Neurosurg.* Jan 2019;121:e962-e966. doi:10.1016/j.wneu.2018.10.054.
26. Fitridge R, Chuter V, Mills J, et al. The intersocietal IWGDF, ESVS, SVS guidelines on peripheral artery disease in people with diabetes mellitus and a foot ulcer. *J Vasc Surg.* Nov 2023;78(5):1101-1131. doi:10.1016/j.jvs.2023.07.020.
27. Franco-Sadud R, Schnobrich D, Mathews BK, et al. Recommendations on the Use of Ultrasound Guidance for Central and Peripheral Vascular Access in Adults: A Position Statement of the Society of Hospital Medicine. *J Hosp Med.* Sep 2019;14(9):E1-e22 doi:10.12788/jhm.3287.
28. Gale SS, Scissons RP, Salles-Cunha SX, et al. Lower extremity arterial evaluation: are segmental arterial blood pressures worthwhile? *J Vasc Surg* 1998;27:831e8 [discussion 8-9].
29. Gardner AW, Montgomery PS. Comparison of three blood pressure methods used for determining ankle/brachial index in patients with intermittent claudication. *Angiology.* Sep 1998;49(9):723-8. doi:10.1177/000331979804901003.
30. Gornik HL, Aronow HD, Goodney PP, et al. 2024 ACC/AHA/AACVPR/APMA/ABC/SCAI/SVM/SVN/SVS/SIR/VESS-Guideline for the Management of Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *Circulation.* 2024;149(24):e1313-e1410. doi:10.1161/CIR.0000000000001251.
31. Gray C, Goodman P, Cullen P, et al. Screening for Peripheral Arterial Disease and Carotid Artery Disease in Patients With Abdominal Aortic Aneurysm. *Angiology.* 2016;67(4):346-349. doi:10.1177/0003319715590299.
32. Hardy DM, Lyden SP. The Majority of Patients Have Diagnostic Evaluation Prior to Major Lower Extremity Amputation. *Ann Vasc Surg.* Jul 2019;58:78-82. doi:10.1016/j.avsg.2018.10.038.
33. Healy DA, Zierler RE, Nicholls SC, et al. Long-term follow-up and clinical outcome of carotid restenosis. *Journal of Vascular Surgery.* 1989;10(6):662-669. doi:10.1016/0741-5214(89)90010-4.
34. Hingorani A, LaMuraglia GM, Henke P, et al. The management of diabetic foot: A clinical practice guideline by the Society for Vascular Surgery in collaboration with the American Podiatric Medical Association and the Society for Vascular Medicine. *J Vasc Surg.* Feb 2016;63(2 Suppl):3S-21S. doi:10.1016/j.jvs.2015.10.003.
35. Hoitz NCC, Nugteren MJ, Huizing E, Fioole B, Mees BME, de Borst GJ, Ünlü Ç. Duplex Ultrasound Surveillance After Femoropopliteal Endovascular Treatment for Peripheral

- Arterial Disease: A Systematic Review and Narrative Synthesis. *Ann Vasc Surg.* 2024 Jul 14:S0890-5096(24)00422-9. doi: 10.1016/j.avsg.2024.05.035. Epub ahead of print. PMID: 39009126.
36. Hsu S, Rifkin DE, Criqui MH, et al. Relationship of femoral artery ultrasound measures of atherosclerosis with chronic kidney disease. *J Vasc Surg.* Jun 2018;67(6):1855-1863.e1. doi:10.1016/j.jvs.2017.09.048.
  37. Humphries MD, Pevec WC, Laird JR, Yeo KK, Hedayati N, Dawson DL. Early duplex scanning after infrainguinal endovascular therapy. *Journal of Vascular Surgery.* 2011;53(2):353-358. doi:10.1016/j.jvs.2010.08.045.
  38. Hur KY, Jun JE, Choi YJ, et al. Color Doppler Ultrasonography Is a Useful Tool for Diagnosis of Peripheral Artery Disease in Type 2 Diabetes Mellitus Patients with Ankle-Brachial Index 0.91 to 1.40. *Diabetes Metab J.* Feb 2018;42(1):63-73. doi:10.4093/dmj.2018.42.1.63.
  39. Jacobowitz GR, Rockman CB, Gagne PJ, et al. A model for predicting occult carotid artery stenosis: screening is justified in a selected population. *J Vasc Surg.* Oct 2003;38(4):705-9.doi:10.1016/s0741-5214(03)00730-4.
  40. Johansson EP, Wester P. Carotid bruits as predictor for carotid stenoses detected by ultrasonography: an observational study. *BMC Neurol.* Jun 24 2008;8:23. doi:10.1186/1471-2377-8-23.
  41. Jung HJ, Lee SS, Kim HY, et al. Association between carotid artery stenosis and peripheral artery disease: Evaluation by screening carotid ultrasonography (cross-sectional study). *Medicine (Baltimore).* Feb 2019;98(6):e14163. doi:10.1097/md.00000000000014163.
  42. Kovacs D, Csiszar B, Biro K, et al. Toe-brachial index and exercise test can improve the exploration of peripheral artery disease. *Atherosclerosis.* Feb 2018;269:151-158. doi:10.1016/j.atherosclerosis.2018.01.023.
  43. Lal BK, Beach KW, Roubin GS, et al. Restenosis after carotid artery stenting and endarterectomy: a secondary analysis of CREST, a randomised controlled trial. *The Lancet Neurology.* 2012/09/01/ 2012;11(9):755-763. doi:[https://doi.org/10.1016/S1474-4422\(12\)70159-X](https://doi.org/10.1016/S1474-4422(12)70159-X).
  44. Lane TRA, Metcalfe MJ, Narayanan S, Davies AH. Post-operative Surveillance after Open Peripheral Arterial Surgery. *European Journal of Vascular and Endovascular Surgery.* 2011/07/01/ 2011;42(1):59-77. doi:<https://doi.org/10.1016/j.ejvs.2011.03.023>.
  45. Ledbetter LN, Burns J, Shih RY, et al. ACR Appropriateness Criteria® Cerebrovascular Diseases-Aneurysm, Vascular Malformation, and Subarachnoid Hemorrhage. *J Am Coll Radiol.* Nov 2021;18(11s):S283-s304. doi:10.1016/j.jacr.2021.08.012.
  46. Ligush J, Jr., Reavis SW, Preisser JS, Hansen KJ. Duplex ultrasound scanning defines operative strategies for patients with limb-threatening ischemia. *J Vasc Surg.* Sep 1998;28(3):482-90; discussion 490-1. doi:10.1016/s0741-5214(98)70134-x.

47. Lijmer JG, Hunink MGM, van den Dungen JJAM, Loonstra J, Smit AJ. ROC analysis of noninvasive tests for peripheral arterial disease. *Ultrasound in Medicine & Biology*. 1996/01/ 1996;22(4):391-398. doi:[https://doi.org/10.1016/0301-5629\(96\)00036-1](https://doi.org/10.1016/0301-5629(96)00036-1).
48. Lin JC, Kabbani LS, Peterson EL, et al. Clinical utility of carotid duplex ultrasound prior to cardiac surgery. *J Vasc Surg*. Mar 2016;63(3):710-4. doi:[10.1016/j.jvs.2015.10.008](https://doi.org/10.1016/j.jvs.2015.10.008).
49. Lundell A, Lindblad B, Bergqvist D, Hansen F. Femoropopliteal-crural graft patency is improved by an intensive surveillance program: A prospective randomized study. *Journal of Vascular Surgery*. 1995/01/ 1995;21(1):26-34. doi:[https://doi.org/10.1016/S0741-5214\(95\)70241-5](https://doi.org/10.1016/S0741-5214(95)70241-5).
50. MacGowan SW, Saif MF, O'Neill G, Fitzsimons P, Bouchier-Hayes D. Ultrasound examination in the diagnosis of popliteal artery aneurysms. *Br J Surg* 1985;72:528-9.
51. Mahé G, Boge G, Bura-Rivière A, et al. Disparities Between International Guidelines (AHA/ESC/ESVS/ESVM/SVS) Concerning Lower Extremity Arterial Disease: Consensus of the French Society of Vascular Medicine (SFMV) and the French Society for Vascular and Endovascular Surgery (SCVE). *Ann Vasc Surg*. Apr 2021;72:1-56. doi:[10.1016/j.avsg.2020.11.011](https://doi.org/10.1016/j.avsg.2020.11.011).
52. McKenna M, Elghazaly H, Bergman H, et al. Meta-Analysis of Duplex Surveillance Following Lower Limb Endovascular Intervention. *J Endovasc Ther*. Dec 4 2023: 15266028231215215. doi:[10.1177/15266028231215215](https://doi.org/10.1177/15266028231215215).
53. Mestre XM, Coll RV, Villegas AR, Rico CM. Role of contrast-enhanced ultrasound arterial mapping in surgical planning for patients with critical limb ischemia. *Ultrasound Med Biol*. Jun 2015;41(6):1570-6. doi:[10.1016/j.ultrasmedbio.2015.02.004](https://doi.org/10.1016/j.ultrasmedbio.2015.02.004).
54. Mewissen MW, Kinney EV, Bandyk DF, et al. The role of duplex scanning versus angiography in predicting outcome after balloon angioplasty in the femoropopliteal artery. *Journal of Vascular Surgery*. 1992;15(5):860-865. doi:[10.1016/0741-5214\(92\)90721-J](https://doi.org/10.1016/0741-5214(92)90721-J).
55. Mofidi R, Kelman J, Berry O, Bennett S, Murie JA, Dawson ARW. Significance of the Early Postoperative Duplex Result in Infrainguinal Vein Bypass Surveillance. *European Journal of Vascular and Endovascular Surgery*. 2007/09/01/ 2007;34(3):327-332. doi:<https://doi.org/10.1016/j.ejvs.2007.04.008>.
56. Mousa AY, Morkous R, Broce M, et al. Validation of subclavian duplex velocity criteria to grade severity of subclavian artery stenosis. *J Vasc Surg*. Jun 2017;65(6):1779-1785. doi:[10.1016/j.jvs.2016.12.098](https://doi.org/10.1016/j.jvs.2016.12.098).
57. Nattero-Chávez L, Redondo López S, Alonso Díaz S, et al. The peripheral atherosclerotic profile in patients with type 1 diabetes warrants a thorough vascular assessment of asymptomatic patients. *Diabetes Metab Res Rev*. Feb 2019;35(2):e3088. doi:[10.1002/dmrr.3088](https://doi.org/10.1002/dmrr.3088).
58. Nicolaides AN, Panayiotou AG, Griffin M, et al. Arterial Ultrasound Testing to Predict Atherosclerotic Cardiovascular Events. *J Am Coll Cardiol*. May 24 2022; 79(20):1969-1982. doi:[10.1016/j.jacc.2022.03.352](https://doi.org/10.1016/j.jacc.2022.03.352).

59. Normahani P, Mustafa C, Shalhoub J, et al. A systematic review and meta-analysis of the diagnostic accuracy of point-of-care tests used to establish the presence of peripheral arterial disease in people with diabetes. *J Vasc Surg.* May 2021;73(5):1811-1820. doi:10.1016/j.jvs.2020.11.030.
60. Oikawa K, Kato T, Oura K, et al. Preoperative cervical carotid artery contrast-enhanced ultrasound findings are associated with development of microembolic signals on transcranial Doppler during carotid exposure in endarterectomy. *Atherosclerosis.* May 2017;260:87-93. doi:10.1016/j.atherosclerosis.2017.03.026.
61. Okamura M, Takekawa H, Okabe R, Suzuki K, Hirata K. Vertebral artery Doppler waveform patterns for exclusive diagnosis of basilar artery stenosis and occlusion. *J Med Ultrason* (2001). Jan 2016;43(1):83-9. doi:10.1007/s10396-015-0669-6.
62. Polak JF, Karmel MI, Mannick JA, et al. Determination of the extent of lower-extremity peripheral arterial disease with color-assisted duplex sonography: comparison with angiography. *AJR Am J Roentgenol* 1990;155:1085e9.
63. Polak JF, Herrington D, O'Leary DH. Associations of edge-detected and manual-traced common carotid artery intima-media thickness with incident peripheral artery disease: The Multi-Ethnic Study of Atherosclerosis. *Vasc Med.* Aug 2019;24(4):306-312. doi:10.1177/1358863x19835925.
64. Randolph W, Dains JE. Ultrasound Evaluation of Carotid Artery Intima-Media Thickness: Effective Early Marker of Carotid Artery Disease in Adult Head and Neck Cancer Patients After Neck Radiation? *J Adv Pract Oncol.* Sep 2022;13(7):683-694. doi:10.6004/jadpro.2022.13.7.4.
65. Rozeman AD, Hund H, Westein M, et al. Duplex ultrasonography for the detection of vertebral artery stenosis: A comparison with CT angiography. *Brain Behav.* Aug 2017;7(8):e00750. doi:10.1002/brb3.750.
66. Saarinen E, Laukontaus SJ, Alhäck A, Venermo M. Duplex Surveillance After Endovascular Revascularisation for Critical Limb Ischaemia. *European Journal of Vascular and Endovascular Surgery.* 2014;47(4):418-421. doi:10.1016/j.ejvs.2014.01.012.
67. Sarpe AK, Flumignan CD, Nakano LC, et al. Duplex ultrasound for surveillance of lower limb revascularisation. *Cochrane Database Syst Rev.* Jul 20 2023;7(7):Cd013852. doi:10.1002/14651858.CD013852.pub2.
68. Sebastiani M, Narasimhan S, Graham MM, et al. Usefulness of the ankle-brachial index to predict high coronary SYNTAX scores, myocardium at risk, and incomplete coronary revascularization. *Am J Cardiol.* Dec 1 2014;114(11):1745-9. doi:10.1016/j.amjcard.2014.09.010.
69. Škoda O, Kalvach P, Procházka B, Svárovský M. Non-invasive evaluation of proximal vertebral artery stenosis using color Doppler sonography and CT angiography. *J Neuroradiol.* Dec 2014;41(5):336-41. doi:10.1016/j.neurad.2013.11.003.

70. Sobieszczyk P, Eisenhauer A. Management of patients after endovascular interventions for peripheral artery disease. *Circulation*. Aug 13 2013;128(7):749-57. doi:10.1161/CIRCULATIONAHA.113.001560.
71. Stone PA, Armstrong PA, Bandyk DF, Keeling WB, Flaherty SK, Shames ML, et al. The value of duplex surveillance after open and endovascular popliteal aneurysm repair. *J Vasc Surg* 2005;41:936-41.
72. Stone PA, Armstrong PA, Bandyk DF, et al. Duplex ultrasound criteria for femorofemoral bypass revision. *Journal of Vascular Surgery*. 2006/09/01/ 2006;44(3):496-501. doi:<https://doi.org/10.1016/j.jvs.2006.06.002>.
73. Takahashi S, Kokudai Y, Kurokawa S, et al. Prognostic evaluation of branch atheromatous disease in the pons using carotid artery ultrasonography. *J Stroke Cerebrovasc Dis*. Jul 2020;29(7):104852. doi:10.1016/j.jstrokecerebrovasdis.2020.104852.
74. Tielbeek AV, Rietjens E, Buth J, Vroegindeweij D, Schol FP. The value of duplex surveillance after endovascular intervention for femoropopliteal obstructive disease. *Eur J Vasc Endovasc Surg*. Aug 1996;12(2):145-50. doi:10.1016/s1078-5884(96)80099-2.
75. Tsai C-Y, Chu S-Y, Wen Y-W, et al. The value of Doppler waveform analysis in predicting major lower extremity amputation among dialysis patients treated for diabetic foot ulcers. *Diabetes Research and Clinical Practice*. 2013;100(2):181-188. doi:10.1016/j.diabres.2013.03.017.
76. Tsai LK, Yeh SJ, Tang SC, et al. Validity of Carotid Duplex Sonography in Screening for Intracranial Dural Arteriovenous Fistula among Patients with Pulsatile Tinnitus. *Ultrasound Med Biol*. Feb 2016;42(2):407-12. doi: 10.1016/j.ultrasmedbio.2015.10.013.
77. Varghese JJ, Estes BA, Martinsen BJ, et al. Utilization Rates of Diagnostic and Therapeutic Vascular Procedures Among Patients Undergoing Lower Extremity Amputations in a Rural Community Hospital: A Clinicopathological Correlation. *Vasc Endovascular Surg*. May 2021;55(4):325-331. doi:10.1177/1538574420975588.
78. Venermo M, Sprynger M, Desormais I, et al. Follow-up of patients after revascularisation for peripheral arterial diseases: a consensus document from the European Society of Cardiology Working Group on Aorta and Peripheral Vascular Diseases and the European Society for Vascular Surgery. *Eur J Prev Cardiol*. 2019;26(18):1971-1984. doi:10.1177/2047487319846999.
79. Vriens B, D'Abate F, Ozdemir BA, et al. Clinical examination, and non-invasive screening tests in the diagnosis of peripheral artery disease in people with diabetes-related foot ulceration. *Diabetic Medicine*. 2018;35(7):895-902. doi:<https://doi.org/10.1111/dme.13634>.
80. Wanamaker KM, Moraca RJ, Nitzberg D, Magovern GJ, Jr. Contemporary incidence and risk factors for carotid artery disease in patients referred for coronary artery bypass surgery. *J Cardiothorac Surg*. Aug 28 2012;7:78. doi:10.1186/1749-8090-7-78.

81. Williams DT, Harding KG, Price P. An Evaluation of the Efficacy of Methods Used in Screening for Lower-Limb Arterial Disease in Diabetes. *Diabetes Care.* 2005;28(9): 2206-2210. doi:10.2337/diacare.28.9.2206.
82. Yun WS, Rho YN, Park UJ, Lee KB, Kim DI, Kim YW. Prevalence of asymptomatic critical carotid artery stenosis in Korean patients with chronic atherosclerotic lower extremity ischemia: is a screening carotid duplex ultrasonography worthwhile?. *J Korean Med Sci.* 2010;25(8):1167-1170. doi:10.3346/jkms.2010.25.8.1167.
83. Zierler RE, Jordan WD, Lal BK, et al. The Society for Vascular Surgery practice guidelines on follow-up after vascular surgery arterial procedures. *J Vasc Surg.* Jul 2018;68(1): 256-284. doi:10.1016/j.jvs.2018.04.018.